

# Discussing Treatment with your healthcare team

## What is ROLVEDON®?

ROLVEDON is a man-made form of granulocyte colony-stimulating factor (G-CSF). G-CSF is a substance produced by the body. It stimulates the growth of neutrophils, a type of white blood cell important in the body's fight against infection. It is not known if ROLVEDON is safe and effective in children.

## IMPORTANT SAFETY INFORMATION

**Do not take ROLVEDON** if you have had a serious allergic reaction to eflapegrastim, pegfilgrastim or filgrastim products.

### **ROLVEDON may cause serious side effects, including:**

**Spleen rupture.** Your spleen may become enlarged and can rupture. A ruptured spleen can cause death. Call your healthcare provider right away if you have pain in the left upper stomach-area or your left shoulder.

Please see Important Safety Information on pages 6-7 and accompanying [full Prescribing Information](#), [Patient Information](#), and [Instructions for Use](#).



**ROLVEDON**®  
(eflapegrastim-xnst) injection  
13.2 mg/0.6 mL



## Before, During and After Your Appointment

**Navigating treatment discussions can feel overwhelming.** Prepare for your next doctor's appointment with this guide, ensuring you ask the right questions and take an active role in planning your care.

To get the support and care you need, stay informed about your treatment journey, address emotions, and manage appointments effectively.

### Get Ready

Plan ahead by writing down your questions and concerns before your appointment. Identify the most important ones to focus on.

### Bring Support

Consider bringing a friend or family member for moral support. Having someone there to recall key details and provide emotional encouragement can be beneficial.

### Take notes

Write things down so there's no chance of forgetting important details or medical terms. Feel free to ask your doctor for simplified explanations if needed.

### Ask Anytime

If you think of questions after your appointment, make sure you call your doctor's office and talk to a nurse, physician assistant or your oncologist.

Please see Important Safety Information on pages 6-7 and accompanying [full Prescribing Information](#), [Patient Information](#), and [Instructions for Use](#).

 **ROLVEDON**<sup>®</sup>  
(eflapegrastim-xnst) injection



## Questions For Your Doctor

---

It's important to remember that your doctor is there to help you make the most of your appointment. Here are some suggested questions to kickstart your discussion.

### BEFORE TREATMENT

- **Why does my chemotherapy put me at risk of infection and how can ROLVEDON help?**

---

---

- **How is ROLVEDON different from other medications that help decrease the risk of infection from chemotherapy?**

---

---

### WHAT TO EXPECT

- **What are the possible side effects of ROLVEDON and how can I manage these?**

---

---

- **How will I know if ROLVEDON is working for me?**

---

---

- **Is there anything I should avoid after my ROLVEDON injection?**

---

---

- **What arrangements are in place for ongoing care and monitoring following treatment with ROLVEDON?**

---

---

Please see Important Safety Information on pages 6-7 and accompanying [full Prescribing Information](#), [Patient Information](#), and [Instructions for Use](#).





## Questions For Your Doctor

---

### TAKING ROLVEDON®

- How will I receive ROLVEDON?

---

---

- How long will I be on ROLVEDON?

---

---

- How will I know if ROLVEDON is working?

---

---

### SUPPORT

- What else can I do to help reduce my risk of infections due to chemotherapy?

---

---

- Is ROLVEDON covered by my insurance?

---

---

- Is financial support available for ROLVEDON?

---

---

Please see Important Safety Information on pages 6-7 and accompanying [full Prescribing Information](#), [Patient Information](#), and [Instructions for Use](#).





## Important Safety Information (Cont'd)

---

**Before receiving ROLVEDON, tell your healthcare provider about all of your medical conditions, including if you:**

- have a sickle cell disorder
- have kidney problems
- are pregnant or plan to become pregnant. It is not known if ROLVEDON can harm your unborn baby. Tell your healthcare provider right away if you become pregnant during treatment with ROLVEDON.
- are breastfeeding or plan to breastfeed. It is not known if ROLVEDON passes into your breast milk.

**Tell your healthcare provider about all the medicines you take**, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

**ROLVEDON may cause serious side effects, including:**

- **A serious lung problem called Acute Respiratory Distress Syndrome (ARDS).** Call your healthcare provider or get emergency help right away if you have shortness of breath with or without a fever, trouble breathing, or a fast rate of breathing.
- **Serious allergic reactions.** ROLVEDON can cause serious allergic reactions. These reactions can cause a rash all over your whole body, shortness of breath, wheezing, dizziness, swelling around your mouth or eyes, fast heart rate, and sweating. If you have any of these symptoms call your healthcare provider or get emergency medical help right away.
- **Sickle cell crises.** You may have a serious sickle cell crisis, which could lead to death, if you have a sickle cell disorder and receive ROLVEDON. Call your healthcare provider right away if you develop symptoms of sickle cell crisis such as pain or difficulty breathing.
- **Kidney injury (glomerulonephritis).** ROLVEDON can cause kidney injury. Call your healthcare provider right away if you develop any of the following symptoms:
  - swelling of your face or ankles
  - blood in your urine or dark colored urine
  - you urinate less than usual
- **Increased white blood cell count (leukocytosis).** Your healthcare provider will check your blood count during treatment with ROLVEDON.
- **Decreased platelet count (thrombocytopenia).** Your healthcare provider will check your blood during treatment with ROLVEDON. Tell your healthcare provider if you have unusual bleeding or bruising during treatment with ROLVEDON. This could be a sign of decreased platelet counts, which may reduce the ability of your blood to clot.



- **Capillary Leak Syndrome.** ROLVEDON can cause fluid to leak from blood vessels into your body's tissues. This condition is called "Capillary Leak Syndrome" (CLS). CLS can quickly cause you to have symptoms that may become life-threatening. Get emergency help right away if you develop any of the following symptoms:
  - swelling or puffiness and are urinating less than usual
  - trouble breathing
  - swelling of your stomach area (abdomen) and feeling of fullness
  - dizziness or feeling faint
  - a general feeling of tiredness
- **Myelodysplastic syndrome and acute myeloid leukemia.** If you have breast cancer or lung cancer, when ROLVEDON is used with chemotherapy and radiation therapy, or with radiation therapy alone, you may have an increased risk of developing a precancerous blood condition called myelodysplastic syndrome (MDS) or a blood cancer called acute myeloid leukemia (AML). Symptoms of MDS and AML may include tiredness, fever, and easy bruising or bleeding. Call your healthcare provider if you develop these symptoms during treatment with ROLVEDON.
- **Inflammation of the aorta (aortitis).** Inflammation of the aorta (the large blood vessel which transports blood from the heart to the body) has been reported in patients who received pegfilgrastim products. Symptoms may include fever, abdominal pain, feeling tired, and back pain. Call your healthcare provider if you experience these symptoms.

**The most common side effects of ROLVEDON include:**

- tiredness
- fever
- nausea
- decreased red blood cell count
- diarrhea
- rash
- bone pain
- muscle and joint pain
- headache
- back pain

These are not all the possible side effects of ROLVEDON.

**Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.**

**Please see accompanying full Prescribing Information, Patient Information, and Instructions for Use for ROLVEDON.**



# Ready For Your Upcoming Healthcare Provider Appointment?

---

## REMEMBER TO:



Go through the example questions



Invite a family member or friend for support



Make a note of any extra questions you might have



Bring a pen to take notes during your appointment

Please see Important Safety Information on pages 6-7 and accompanying [full Prescribing Information](#), [Patient Information](#), and [Instructions for Use](#).



ROLVEDON is a registered trademark of Spectrum Pharmaceuticals, Inc.  
© 2024 Spectrum Pharmaceuticals, Inc. A subsidiary of Asserzio Holdings, Inc.  
All rights reserved.

PP-ROL-00-0591



**ROLVEDON**<sup>®</sup>  
(eflapegrastim-xnst) injection  
13.2 mg/0.6 mL